



USB 3.1 Type-C/M <--> VGA adapter cable allows a device with USB 3.1 connector, as connected VGA units.

The scope of application of this cable is personal computers, workstations, server equipment, telecommunication networks, SCS networks.

## Technical Specifications

Physical Properties	
Model	TUC030
Cable Length	0.2m
Interface	Input: USB Type-C Male,
	Output: VGA, Female
Cable type	PVC jacket
Cable Shield Material	Aluminum-Mylar Foil with Braid
Conductor Gauge	30AWG
Conductor Material	Oxygen Free Copper
Cable Outer Dimension	5.5 ± 0.2mm
Shell Material	Aluminium alloy case + PVC molding
Color	Grey
Performance	
VGA Resolutions	Support 1080P@60Hz
OS Support	Works with Windows/Linux/Mac OS/Android
Environmental	
Operating Temperature	-10°C to 50°C
Storage Temperature	-10°C to 50°C
Humidity	0%RH ~ 85%RH

## Features

- Plug and play, no drivers required.
- VGA port Supports 1080P @ 60Hz. backwards compatibility with HD 1080i and 720p.
- Support USB3.0, also backward compatible with USB2.0/USB1.1.
- Compatible Devices: Various models of Mac Books, Mac Pro, iMac, Surface, XPS, laptops, desktops, smartphones, and tablets with a Type C port.
- System environment compatible with: Windows/Linux/Mac OS/Android.
- Please make sure that your laptop Type C port support DisplayPort Alt Mode (video output).

## Model List

TUC030	Cable-Adapter USB3.1 TypeCm -->VGA Telecom
--------	--