

## 【Product Picture】



## 【Product Description】

The VDV6300 DVI 25M to DVI 25M Cable is a high-performance cable designed for advanced multimedia connections.

### 【Tech Specs】

Technical Specification	Description
Model	VDV6300
Color	Black
Connector Type	DVI
Supported Resolutions	1080p@60Hz
Cable Length	1.8m, 1.5m, 3m,5m, 7.5m, 10m.
Cable Type	PremiumDVI cable
Shielding	Triple shielded
3D Support	Yes
Audio Formats Supported	192KHz, 16-24 BIT, 768KHz, 8 CH
Ethernet Channel	Yes
HDR Support	HDR
Refresh Rate Support	60Hz
ARC Support	Yes
CEC Support	NO
Color Depth Support	16-bit
Jacket Material	PVC, Braided fabric
YCbCr Support	Yes
HDCP Support	HDCP 2.0

### 【Features】

- 1. High-bandwidth support:** Compliant with DVI DUAL LINK specification.
- 2. Resolution Support:** Supports 1080p@ 60Hz for HD displays.
- 3. Ethernet and 3D support:** Includes Ethernet functionality and support for 3D content.
- 4. HDCP 2.0 and HDR support:** Compatible with HDCP 2.0 for content protection and supports HDR for enhanced colour and contrast.
- 5. Durable Construction:** Features a silver metal housing and black braided cable for durability and flexibility.

### 【Application Environment】

Data transfer cable.

The interface connection cable is used to connect devices with an DVI interface (digital signal) to devices with an DVI interface (digital signal).

The cable is suitable for PCs, workstations, server equipment, telecom networks and SCS networks.

### 【Important Notice】

- 1. Interface compatibility:** Make sure your device supports HDMI 1.4 for optimal performance, including bandwidth and resolution capabilities.
- 2. Handling Precautions:** Avoid excessive bending or twisting of the cable to prevent damage to the internal wires.
- 3. Storage Recommendations:** Store the cable in a cool, dry place away from direct sunlight and moisture.
- 4. Safety:** Do not use this cable in high humidity, direct sunlight, or water to prevent electrical hazards.
- 5. Warranty:** For information on warranty coverage and limitations, refer to the terms and conditions of the warranty provided.